Contact
tel. 607-200-095 mariuszwitczak1@wp.pl
Chojny 7, 62-600 Kolo

PRODUCT PDF
https://witmar-przycz...

PRODUCT CARD

FOOWEE LA8535 - tri-axle vehicle trailer, 8500 x 2100 mm, GVW 3500 kg

Category: Car transporters / Three axle car transporters

FoodyWheel LA8535: cargo platform 8500 x 2100 mm, GVW 3500 kg and payload 2650 kg.



GVW	PAYLOAD	GROSS PRICE	MANUFACTURER
3500 kg	2650 kg	25,215 PLN 20,500.00 PLN net	FoodyWheel

TECHNICAL PARAMETERS

MANUFACTURER FoodyWheel	SKU / MODEL LA8535
GROSS PRICE 25,215 PLN	NET PRICE 20,500.00 PLN net price
GVW 3500 kg	WEIGHT 850 kg
PAYLOAD 2650 kg	NUMBER OF AXLES 3
CARGO DIMENSIONS 8500 mm x 2100 mm	CARGO SPACE 8500 x 2100 mm
LOADING HEIGHT 75 cm	FLOOR Aluminium LOHR deck
FRAME Welded, hot-dip galvanised frame	

PRODUCT DESCRIPTION

Three-axle car transporter trailer FOOWEE LA8535 -- GVW 3500 kg

FOOWEE LA8535 is a three-axle car transporter trailer in the Witmar range, intended for vehicles whose dimensions and mass match the selected version. It is an option for buyers matching a particular trailer to a planned transport task and comparing it with other models in the same class.

Car transport trailer matched to the vehicle

A car transporter should match the vehicles you actually intend to carry. Loading geometry matters for a low car, while a wider vehicle also requires careful positioning on the supporting surfaces. If several types of vehicle will be carried, compare their largest dimensions and masses rather than assessing the trailer against just one car.

Compare the vehicle mass with the payload of this particular version. Then check vehicle length, wheelbase, track width, tyre width and ground clearance. Platform dimensions do not replace verification of wheel positions on the loading tracks.

Choosing a car transporter for regular vehicle transport

When buying a car trailer for business or private use, separate the need for more platform space from the need for greater payload. A longer vehicle is not always heavier, and a compact machine can require more carrying capacity than a large car. Match the intended use to the specific version rather than the general transporter category.

This version of FOOWEE LA8535 has a gross vehicle weight limit of 3500 kg. This covers the trailer together with its load; it is not the mass of cargo that can be carried on its own.

The deck layout matters when loading. Wheel tracks are not equivalent to a general-purpose cargo bed, and a centre infill does not automatically certify pallet transport. Ramp and winch use must suit the vehicle being carried.

Choosing FOOWEE LA8535 from the Witmar range

When searching for a three-axle car transporter trailer, compare how the load space will be used as well as the axle arrangement. The right version should match the intended load and frequency of transport. The construction name alone does not establish suitability for every task.

Before buying, explain what you intend to carry, how often the trailer will be used and the dimensions of the largest item. This helps compare versions against real needs rather than only overall size or a model name. Witmar can help confirm the chosen configuration, current price and availability.

Compare other models in this category: car transporter trailer.

Ask about availability and configuration

Phone: 607-200-095

E-mail: mariuszwitczak1@wp.pl

Address: Chojny 7, 62-600 Kolo

https://witmar-przyczepy.pl...